

Momoi[®]
Quality since 1905

MOMOI FISHING **PRODUCT CATALOG**



PE series



RYUJIN
P.3



JigLine MX8
P.3



JigLine Takumi
P.4

Hi-MAX® series



Extra
P.4



Super Soft
P.5



Carp
P.5



Field Chaser
P.5

Lure Soul series



Kuromasu
P.6

OTHERS



Black Shadow
P.6



Premium
P.7



SOFLEX FC
P.7

Hi-Catch® series



I.G.F.A. Class
P.8



Classic
P.8



A-ONE
P.9



Diamond
P.9



ZEX
P.9



Fluorocarbon
P.10



Fluorocarbon NEO
P.10




Classic Leader
P.10



Xtra Hard Leader
P.11



Super Xtra Hard Leader
P.11



Wind on Leader
P.11

PE series

RYUJIN

An extra-strong and extra-soft PE line that pursues the desire to “cast further” and “have more flexibility.”

By having an exquisite balance in the braiding, this extra-flexible line caters to a variety of the anglers’ needs. Adopting “extra silent mode” that minimizes noise with the guide, it is a PE line for versatile use such as surfcasting, wharf fishing, lure fishing, and light jigging.

Material: SUPER PE
Processing: MJS Processing
Color: Orange, Lime Green, Moss Green
Make-up: 100mtr, 125mtr, 130mtr, 150mtr, 200mtr, 300mtr, 500mtr, 1000mtr spool

Features

- 8 Braids
- Special Soft Processing (MJS Processing)
- Ultra Flexibility
- Ultra Strength
- High Abrasion Resistance
- No Elongation
- Ultra Silent Mode

Genre

- Lure Fishing
- Boat Fishing
- Jigging
- Inshore Fishing
- Casting
- Eging
- Aging

Specification

Japanese No.	#0.15	#0.20	#0.40	#0.60	#0.80	#1.00	#1.20	#1.50	#1.75	#2.00	#2.50	#3.00
Standard Diameter	0.06 mm	0.08 mm	0.10 mm	0.12 mm	0.14 mm	0.16 mm	0.18 mm	0.20 mm	0.22 mm	0.23 mm	0.26 mm	0.28 mm
KG TEST	6kg	8kg	9kg	10kg	11kg	12kg	13kg	16kg	18kg	20kg	22kg	25kg
LB TEST	14lb	18lb	20lb	22lb	23lb	25lb	30lb	35lb	40lb	45lb	50lb	55lb

Japanese No.	#3.50	#4.00	#4.50	#5.00	#6.00	#7.00	#8.00	#9.00	#12.00	#13.00	#16.00	#18.00
Standard Diameter	0.30 mm	0.33 mm	0.35 mm	0.37 mm	0.40 mm	0.43 mm	0.47 mm	0.49 mm	0.57 mm	0.59 mm	0.66 mm	0.70 mm
KG TEST	27kg	30kg	32kg	34kg	40kg	45kg	50kg	55kg	59kg	65kg	72kg	80kg
LB TEST	60lb	65lb	70lb	75lb	90lb	100lb	110lb	120lb	130lb	145lb	160lb	180lb



JigLine MX8

A super PE line that further enhances the roundness and the smoothness of JigLine Takumi. By adopting 8-strand PE, it has higher roundness compared to the common 4-strand PE; it also makes less squeaky rubbing sound when it touches the guide (silent mode). While reinforcing the abrasion resistance that is the weakness of the PE line, it has further enhanced its characteristics namely the smoothness, the strength, and the sensitivity. It has upgraded the abrasion resistance and the smoothness of Takumi, which is a high-performance line in its own right. A 5-color version suitable for jigging and casting is available from the color variation.

Material: SUPER PE
Processing: Special Developed Hard Processing
Color: Moss Green, Red, Multi-Color (10mtr x 5 colors with white marking at every 1mtr)
Make-up: 100mtr, 125mtr, 130mtr, 150mtr, 200mtr, 300mtr, 500mtr, 1000mtr spool

Features

- 8 Braids (MX8 New Technology)
- Special Developed Hard Processing
- Ultra Strong HPPE Fiber
- Absolute Round Shape
- Smooth
- High Abrasion Resistance
- No Elongation
- Silent Mode

Genre

- Boat Fishing
- Jigging
- Inshore Fishing
- Casting
- Eging
- Aging
- Lure Fishing

Specification

Japanese No.	#0.40	#0.60	#0.80	#1.00	#1.20	#1.50	#1.75	#2.00	#2.50	#3.00	#3.50
Standard Diameter	0.10 mm	0.12 mm	0.14 mm	0.16 mm	0.18 mm	0.20 mm	0.22 mm	0.23 mm	0.26 mm	0.28 mm	0.30 mm
KG TEST	6kg	7kg	9kg	11kg	12kg	13kg	16kg	18kg	20kg	22kg	25kg
LB TEST	14lb	15lb	20lb	23lb	25lb	30lb	35lb	40lb	45lb	50lb	55lb

Japanese No.	#4.00	#5.00	#6.00	#7.00	#8.00	#9.00	#12.00	#13.00	#16.00	#18.00
Standard Diameter	0.33 mm	0.37 mm	0.40 mm	0.43 mm	0.47 mm	0.49 mm	0.57 mm	0.59 mm	0.66 mm	0.70 mm
KG TEST	27kg	32kg	40kg	50kg	55kg	63kg	68kg	72kg	77kg	80kg
LB TEST	60lb	70lb	90lb	110lb	120lb	140lb	150lb	160lb	170lb	180lb



JigLine Takumi

Material: SUPER PE
Processing: Special Developed Hard Processing
Color: Moss Green, Red, Multi-Color (10mtr x 5colors with white marking at every 1mtr)
Make-up: 100mtr, 125mtr, 130mtr, 150mtr, 200mtr, 300mtr, 500mtr, 1000mtr spool

Features

- Special Developed Hard Processing
- Absolute Round Shape
- High Abrasion Resistance
- Ultra Strong HPPE Fiber
- No Elongation

Genre

- Boat Fishing
- Jigging
- Inshore Fishing
- Casting
- Eging
- Ajing
- Lure Fishing



Specification

Japanese No.	#0.10	#0.15	#0.25	#0.40	#0.60	#0.80	#1.20	#1.50	#2.00
Standard Diameter	0.05 mm	0.06 mm	0.08 mm	0.10 mm	0.12 mm	0.14 mm	0.18 mm	0.20 mm	0.24 mm
KG TEST	4.0kg	4.8kg	5.6kg	6.1kg	7.0kg	8.0kg	11.2kg	12.8kg	14.4kg
LB TEST	8.8lb	10.5lb	12.3lb	13.4lb	15.4lb	17.6lb	24.6lb	28.2lb	31.7lb

Japanese No.	#2.50	#3.50	#5.00	#6.00	#8.00	#9.00	#13.00	#18.00
Standard Diameter	0.27 mm	0.31 mm	0.35 mm	0.39 mm	0.45 mm	0.49 mm	0.59 mm	0.69 mm
KG TEST	16.0kg	19.2kg	31.0kg	37.2kg	49.6kg	62.0kg	70.8kg	80.0kg
LB TEST	35.2lb	42.3lb	68.3lb	82.0lb	109.3lb	136.6lb	156.0lb	176.3lb

Hi-MAX[®] series

Hi-Max Extra

Hi-Max series' toughest fishing line. With its special soft processing, it restricts the frictional resistant with the guide and extends the flying distance when cast, and at the same time excels in manipulability and abrasion-and-UV-resistance. It demonstrates its potentials in a wide variety of situations from boat fishing to lure fishing.

Material: Nylon (Ultra Strong MIJ Nylon)
Processing: Special Soft Processing
Color: Clear, Fluorescent Yellow, Light Blue
Make-up: 150mtr, 300mtr, 600mtr spool

Features

- Ultra Strong MIJ Nylon
- Special Soft Processing
- Low Friction
- High Abrasion Resistance
- Tough
- No Memory
- UV Block

Genre

- Boat Fishing
- Inshore Fishing
- Long Casting
- Lure Fishing



Specification

Japanese No.	#0.40	#0.50	#0.60	#0.70	#0.80	#1.00	#1.20	#1.50	#2.00	#2.50	#3.00
Standard Diameter	0.105 mm	0.117 mm	0.128 mm	0.139 mm	0.148 mm	0.165 mm	0.181 mm	0.203 mm	0.234 mm	0.261 mm	0.286 mm
KG TEST	1.04kg	1.29kg	1.54kg	1.78kg	2.03kg	2.53kg	3.04kg	3.08kg	4.67kg	5.72kg	6.74kg
LB TEST											

Japanese No.	#3.50	#4.00	#5.00	#6.00	#7.00	#8.00	#9.00	#10.00	#13.00	#18.00	#20.00
Standard Diameter	0.309 mm	0.330 mm	0.369 mm	0.405 mm	0.437 mm	0.467 mm	0.495 mm	0.522 mm	0.595 mm	0.701 mm	0.738 mm
KG TEST	7.86kg	8.98kg	10.67kg	12.54kg	14.60kg	15.50kg	17.43kg	19.36kg	24.60kg	32.87kg	36.52kg
LB TEST											

Hi-Max Super Soft

Material: Nylon (High Strength Quattro-S Monofilament)
Processing: Special Soft Processing
Color: Silver
Make-up: 150mtr, 300mtr, 600mtr spool

Features

- High Strength Quattro-S Monofilament
- High and Easy-Handling owing to Special Soft Processing
- High Knot Strength
- No Memory
- UV Block

Genre

- Short Casting
- Inshore Fishing
- Lure Fishing
- Spinning
- Pole Fishing

Specification

Japanese No.	#0.50	#0.60	#0.80	#1.00	#1.20	#1.50	#2.00	#2.50	#3.00	#3.50
Standard Diameter	0.117 mm	0.128 mm	0.148 mm	0.165 mm	0.185 mm	0.203 mm	0.234 mm	0.261 mm	0.286 mm	0.309 mm
KG TEST	1.18kg	1.40kg	1.87kg	2.31kg	2.89kg	3.47kg	4.40kg	5.34kg	6.27kg	7.17kg
LB TEST										

Japanese No.	#4.00	#5.00	#6.00	#7.00	#8.00	#10.00	#12.00	#14.00	#16.00
Standard Diameter	0.330 mm	0.369 mm	0.405 mm	0.437 mm	0.467 mm	0.522 mm	0.570 mm	0.620 mm	0.660 mm
KG TEST	8.19kg	9.90kg	11.88kg	13.71kg	15.32kg	18.48kg	21.92kg	24.34kg	27.46kg
LB TEST									



Hi-Max Carp

Material: Nylon (Ultra Strong MIJ Nylon)
Processing: High Sensitivity & Soft Processing
Color: Camouflage Dark Brown
Make-up: 300mtr, 600mtr spool

Features

- Ultra Strong MIJ Nylon
- High Knot Strength
- Invisible Color in Water
- High Sensitivity & Soft Processing
- UV Block

Genre

- Carp Fishing and Other Fresh Water Fishing

Specification

Japanese No.	#1.50	#2.00	#2.50	#3.00	#3.50	#4.00
Standard Diameter	0.203 mm	0.234 mm	0.261 mm	0.286 mm	0.309 mm	0.330 mm
KG TEST	3.54kg	4.49kg	5.45kg	6.40kg	7.31kg	8.35kg
LB TEST						



Hi-Max Field Chaser

Material: Fluorocarbon (High Strength MIJ Fluorocarbon)
Processing: UV Block & High Abrasion Resistance Processing
Color: Clear
Make-up: 50mtr, 100mtr, 150mtr, 300mtr spool

Features

- High Strength MIJ Fluorocarbon
- High Abrasion Resistance
- High Durability
- Hard Type
- Fast Sinking
- Zero Water Absorption
- Light Refractive Index near to that of Water
- UV Block

Genre

- Boat Fishing
- Inshore Fishing
- Lure Fishing

Specification

Japanese No.	#0.25	#0.30	#0.40	#0.50	#0.60	#0.80	#1.00	#1.20	#1.50	#1.75
Standard Diameter	0.083 mm	0.091 mm	0.105 mm	0.117 mm	0.128 mm	0.148 mm	0.165 mm	0.185 mm	0.203 mm	0.219 mm
KG TEST	0.54kg	0.62kg	0.86kg	1.06kg	1.25kg	1.60kg	1.85kg	2.30kg	2.85kg	3.35kg
LB TEST										

Japanese No.	#2.00	#2.20	#2.50	#3.00	#4.00	#5.00	#6.00	#7.00	#8.00	#10.00
Standard Diameter	0.234 mm	0.245 mm	0.261 mm	0.286 mm	0.330 mm	0.369 mm	0.405 mm	0.437 mm	0.467 mm	0.522 mm
KG TEST	3.90kg	4.15kg	4.40kg	4.95kg	6.45kg	7.90kg	9.10kg	10.50kg	11.80kg	14.50kg
LB TEST										



Lure Soul series

Kuromasu

A new product from the LureSoul brand dedicated to lure fishing. The extra-strong, extra-abrasion-resistant MIJ nylon enables anglers to cast into complex structures and tackling big prey. With the "Total Balance Mode" thanks to our original stretch control and special processing methods, the line quality is consistent throughout the sizes. It has an exquisite balance of distinguished sensitivity comparable to fluorocarbon and the softness unique to nylon to ensure outstanding handleability.

Material: Ultra Strong MIJ Nylon
Processing: MJ Processing
Color: Clear
Make-up: 150mtr (with marking at 75mtr)

Features

- Ultra Strong MIJ Nylon
- Total Balance Mode
- Marking at 75mtr
- Non Pressure Spooling
- High Abrasion Resistance
- High Sensitivity
- UV Block

Genre

- Bass Fishing
- Sea Bass Fishing
- Lure Fishing

Specification

Japanese No.	#1.00	#1.50	#2.00	#3.00	#3.50	#4.00	#5.00
Standard Diameter	0.165 mm	0.203 mm	0.234 mm	0.286 mm	0.309 mm	0.330 mm	0.369 mm
KG TEST							
LB TEST	4lb	6lb	8lb	12lb	14lb	16b	20lb



OTHERS

Black Shadow "Kurokage"

The most significant feature of this line is its camouflage color that blends with water, which enables you to stalk your prey like a ninja, without having them notice you. Although it has been developed for use in freshwater (rivers, swamps and lakes), its high abrasion resistance enables use in rock fishing of large-scale blackfish and sea bream. Low elasticity makes it sensitive to bites and suitable for lure fishing as well.

Material: Nylon (Ultra Strong MIJ Nylon)
Processing: High Sensitivity & Smooth Processing
Color: Black, Dark Brown
Make-up: 1/4lb, 1/8lb spool

Features

- Ultra Strong MIJ Nylon
- Invisible "NINJA" Line in Water
- High Sensitivity & Smooth Processing
- High Abrasion Resistance
- Low Elongation Mode
- UV Block

Genre

- Fresh Water Spinning
- Rock Fishing

Specification

Japanese No.	#1.50	#2.00	#2.50	#3.00	#4.00	#5.00	#6.00	#8.00	#10.00	#13.00
Standard Diameter	0.20 mm	0.23 mm	0.26 mm	0.28 mm	0.33 mm	0.37 mm	0.40 mm	0.47 mm	0.52 mm	0.60 mm
KG TEST	3.72kg	4.58kg	5.61kg	6.61kg	8.80kg	10.46kg	12.29kg	15.19kg	18.97kg	24.11kg
LB TEST										
1/4lb Spool	2,800mtr	2,100mtr	1,700mtr	1,400mtr	1,000mtr	800mtr	700mtr	500mtr	400mtr	300mtr
1/8lb Spool	1,400mtr	1,000mtr	800mtr	700mtr	500mtr	400mtr	300mtr	250mtr	200mtr	150mtr



Premium

Material: Ultra Strong MIJ Nylon
Processing: MJ Processing
Color: Smoke Blue, Clear
Make-up: 100mtr x 10 spools connected

Features

- Ultra Strong MIJ Nylon
- Easy Handling owing to MJ Processing
- Non Pressure Spooling
- High Abrasion Resistance
- High Sensitivity
- UV Block

Genre

Premium is suited for all fishing fields. This line exhibits its potential quality in a wide variety of situations.



Specification

Japanese No.	#0.40	#0.50	#0.60	#0.70	#0.80	#1.00	#1.20	#1.50	#2.00	#2.50
Standard Diameter	0.105 mm	0.117 mm	0.128 mm	0.139 mm	0.148 mm	0.165 mm	0.185 mm	0.203 mm	0.234 mm	0.261 mm
KG TEST	1.0kg	1.3kg	1.5kg	1.8kg	2.0kg	2.5kg	3.0kg	3.8kg	4.7kg	5.7kg
LB TEST	2lb	2.5lb	3lb	3.5lb	4lb	5lb	6lb	8lb	10lb	12lb

Japanese No.	#3.00	#3.50	#4.00	#5.00	#6.00	#7.00	#8.00	#9.00	#10.00
Standard Diameter	0.286 mm	0.309 mm	0.330 mm	0.369 mm	0.405 mm	0.437 mm	0.467 mm	0.495 mm	0.520 mm
KG TEST	6.7kg	7.9kg	9.0kg	10.7kg	12.5kg	14.6kg	15.5kg	17.4kg	19.4kg
LB TEST	13b	15b	18b	22lb	25b	30lb	35b	38b	40b

SOFLEX FC (Fluorocarbon)

Material: Ultra Strong MIJ Fluorocarbon
Processing: MJ Processing
Color: Clear
Make-up: 50mtr, 100mtr spool

Features

- Ultra Strong MIJ Fluorocarbon
- High Flexibility & Softness
- High Sensitivity
- MJS Processing
- Non Pressure Spooling
- UV Block

Genre

Main Line: Bass Fishing, Sea Bass Fishing, Salt Water Light Game

Leader Line: Boat Fishing, Rock Fishing, Casting, Sea Bass Fishing, Trout Fishing



Specification

Japanese No.	#0.50	#0.60	#0.80	#1.00	#1.25	#1.50	#1.75	#2.00	#2.20
Standard Diameter	0.117 mm	0.128 mm	0.148 mm	0.165 mm	0.185 mm	0.203 mm	0.218 mm	0.234 mm	0.247 mm
KG TEST	1.2kg	1.4kg	1.9kg	2.7kg	2.9kg	3.6kg	4.0kg	4.3kg	4.7kg
LB TEST	2.5lb	3lb	4lb	5lb	6lb	7lb	8lb	9lb	10lb
1/4lb Spool	○	○	○	○	○	○	○	○	○
1/8lb Spool	○	○	○	○	○	○	○	○	○

Japanese No.	#3.00	#4.00	#5.00	#6.00	#7.00	#8.00	#10.00	#12.00
Standard Diameter	0.286 mm	0.330 mm	0.369 mm	0.405 mm	0.437 mm	0.467 mm	0.522 mm	0.570 mm
KG TEST	5.5kg	6.7kg	8.1kg	9.1kg	10.5kg	11.8kg	14.5kg	16.9kg
LB TEST	12lb	14b	16b	18lb	20lb	25lb	30lb	35lb
1/4lb Spool	○	○	○	○	○	○	○	○
1/8lb Spool	○	○	○	○	○	○	○	○



Hi-Catch® series

Hi-Catch IGFA class

A reliable brand that continues to evolve in order to cater to the demanding needs of world's top-rated anglers, which has set up a number of world records. It is compatible to the IGFA rules and is manufactured under strict strength control. Compared to other companies' products of the same standards, it overtops in abrasion resistance, which confirms the overall high quality of the product.

Material: Nylon
Processing: UR Processing
Color: Light Blue, Fluorescent Yellow
Make-up: 1/4lb, 1lb, 2lb, 4lb, 5lb, 1000mtr spool

Features

- Ultra Strong Abrasion Resistance
- Strict Quality Control
- Many World Records
- Invisible Light Blue in Water
- High Visible Fluorescent Yellow

Genre

- Trolling, Boat Fishing

Specification

Japanese No.	#0.75	#1.50	#2.25	#3.00	#4.50	#6.00	#7.50	#12.00	#20.00	#30.00	#50.00
Diameter	0.145 mm	0.20 mm	0.25 mm	0.285 mm	0.35 mm	0.40 mm	0.45 mm	0.57 mm	0.74 mm	0.91 mm	1.17 mm
KG TEST	1kg	2kg	3kg	4kg	6kg	8kg	10kg	15kg	24kg	37kg	60kg
LB TEST	2lb	4lb	6lb	8lb	12lb	16lb	20lb	30lb	50lb	80lb	130lb
1/4lb spool	○	○	○	○	○	○	○	○			
1lb spool		○	○	○	○	○	○	○	○	○	
2lb spool							○	○	○	○	○
4lb spool					○	○	○	○			
5lb spool									○	○	○
1000mtr spool	○	○	○	○	○	○	○	○	○	○	○



Hi-Catch Classic

Material: Nylon (Ultra Strong MH Nylon)
Processing: UV Block & High Abrasion Resistance Special Processing
Color: Clear, Smoke Blue, Fluorescent Yellow
Make-up: 1/4lb, 1lb, 2lb, 4lb, 5lb, 1000mtr spool

Features

- Ultra Strong MH Nylon
- High Abrasion Resistance
- High Transparency
- UV Block
- Reliable Line among Game Fishermen in the World

Genre

- Trolling
- Boat Fishing

Specification

Japanese No.	#2.00	#2.50	#3.00	#3.50	#5.00	#6.00	#9.00	#10.00	#13.00	#18.00	#20.00	#27.00
Diameter	0.23 mm	0.26 mm	0.29 mm	0.31 mm	0.37 mm	0.40 mm	0.50 mm	0.52 mm	0.60 mm	0.70 mm	0.75 mm	0.85 mm
KG TEST												
LB TEST	6lb	8lb	10lb	12lb	16lb	20lb	25lb	30lb	40lb	50lb	60lb	80lb
1/4lb spool	○	○	○	○	○	○	○	○	○	○	○	○
1lb spool	○	○	○	○	○	○	○	○	○	○	○	○
2lb spool					○	○	○	○	○	○	○	○
4lb spool	○	○	○	○	○	○	○	○				
5lb spool									○	○	○	○
1000mtr spool									○	○	○	○

Japanese No.	#33.00	#53.00	#60.00	#70.00	#94.00	#120.00	#150.00	#180.00	#220.00
Diameter	0.95 mm	1.20 mm	1.28 mm	1.40 mm	1.60 mm	1.80 mm	2.05 mm	2.20 mm	2.45 mm
KG TEST									
LB TEST	100lb	130lb	150lb	200lb	250lb	300lb	400lb	480lb	500lb
1/4lb spool	○	○							
1lb spool	○								
2lb spool	○	○							
4lb spool									
5lb spool	○	○	○	○	○	○	○	○	○
1000mtr spool	○	○							



Hi-Catch A-ONE

Material: Nylon (MH NYLON)
Processing: TLT Processing
Color: Smoke Blue
Make-up: 1000mtr spool

Features

- Ultra Strong MH Nylon
- Special Processing for High Abrasion Resistance
- Special Line for Game Fishing

Genre

- Boat Fishing

Specification

Japanese No.	#6.00	#10.00	#18.00	#20.00	#27.00
Diameter	0.40 mm	0.52 mm	0.70 mm	0.75 mm	0.85 mm
KG TEST					
LB TEST	20lb	30lb	50lb	60lb	80lb



Hi-Catch Diamond

Material: Nylon (HD Nylon)
Processing: UV Resistance & High Abrasion Resistance Special Processing
Color: Special Clear, Brilliant Blue, Fluorescent Yellow
Make-up: 1000yds, 3000yds spool, 50yds wrist spool

Features

- HD Nylon
- Ultra Strong Abrasion Resistance
- High Durability
- U.S.A. Special
- Invisible Special Clear in Water, Brilliant Blue, High Visible Fluorescent Yellow
- Strict Quality Control

Genre

- Trolling
- Boat Fishing

Specification

Japanese No.	#5.00	#6.00	#7.50	#12.00	#15.00	#20.00	#23.00	#29.00	#36.00	#60.00	#77.00
Diameter	0.35 mm	0.40 mm	0.45 mm	0.59 mm	0.65 mm	0.75 mm	0.80 mm	0.90 mm	1.00 mm	1.28 mm	1.45 mm
KG TEST											
LB TEST	12lb	16lb	20lb	30lb	40lb	50lb	60lb	80lb	100lb	130lb	200lb
1000yds spool	○	○	○	○	○	○	○	○	○	○	○
3000yds spool	○	○	○	○	○	○	○	○	2750yds		



Hi-Catch ZEX

Material: Nylon (Special Developed Ultra Strong Abrasion Resistance "MAR Nylon")
Processing: TLT Processing
Color: Silent Blue
Make-up: 300mtr spool

Features

- Special Developed Ultra Strong Abrasion Resistance "MAR Nylon"
- TLT Processing
- UV Block

Genre

- Bass Fishing
- Lure Fishing
- Rock Fishing

Specification

Japanese No.	#1.50	#2.00	#2.50	#3.00	#4.00	#5.00	#6.00	#7.00	#9.00
Diameter	0.205 mm	0.235 mm	0.260 mm	0.285 mm	0.330 mm	0.370 mm	0.405 mm	0.435 mm	0.500 mm
KG TEST	3.3kg	4.4kg	5.5kg	6.5kg	8.4kg	10.4kg	12.5kg	14.5kg	19.1kg
LB TEST	7.2lb	9.7lb	12.1lb	14.3lb	18.5lb	22.9lb	27.5lb	32.0lb	41.9lb



Hi-Catch Fluorocarbon

Material: Fluorocarbon (High Strength MIJ Fluorocarbon)
Processing: UV Block & High Abrasion Resistance Special Processing
Color: Clear
Make-up: 20mtr, 50mtr coil

Features

- High Strength MIJ Fluorocarbon
- High Abrasion Resistance, High Durability
- Hard Type
- Fast Sinking
- Zero Water Absorption
- Light Refractive Index near to that of Water
- UV Block

Genre

- Leader Line for Trolling, Boat Fishing, and Jigging

Specification

Japanese No.	#10.00	#14.00	#16.00	#18.00	#20.00	#30.00	#40.00	#45.00	#50.00
Diameter	0.52 mm	0.62 mm	0.66 mm	0.70 mm	0.74 mm	0.91 mm	1.05 mm	1.11 mm	1.17 mm
KG TEST									
LB TEST	30lb	40lb	50lb	55lb	60lb	80lb	100lb	120lb	130lb
Japanese No.	#60.00	#80.00	#90.00	#100.00	#120.00	#135.00	#150.00	#180.00	#200.00
Diameter	1.28 mm	1.48 mm	1.57 mm	1.66 mm	1.81 mm	1.93 mm	2.03 mm	2.24 mm	2.34 mm
KG TEST									
LB TEST	150lb	180lb	200lb	220lb	270lb	300lb	330lb	400lb	440lb



Hi-Catch Fluorocarbon NEO

Material: Fluorocarbon (New MIJ Fluorocarbon)
Processing: UR Processing
Color: Clear, Pink
Make-up: 20mtr, 25mtr spool

Features

- New MIJ Fluorocarbon
- High Abrasion Resistance
- Hard Type
- Fast Sinking
- Zero Water Absorption
- Invisible Pink in Water
- Light Refractive Index near to that of Water
- UV Block

Genre

- Leader Line for Trolling, Boat Fishing, Jigging, Inshore Fishing, Casting, Lure Fishing and Eging.

Specification

Japanese No.	#0.60	#0.80	#1.00	#1.25	#1.50	#1.75	#2.00	#2.50	#3.00	#4.00	#5.00
Diameter	0.12 mm	0.14 mm	0.16 mm	0.18 mm	0.20 mm	0.22 mm	0.23 mm	0.26 mm	0.28 mm	0.33 mm	0.37 mm
KG TEST											
LB TEST	2lb	3lb	4lb	5lb	6lb	7lb	8lb	9lb	10lb	12lb	15lb
Japanese No.	#6.00	#8.00	#10.00	#14.00	#16.00	#18.00	#20.00	#30.00	#40.00	#45.00	#60.00
Diameter	0.40 mm	0.47 mm	0.52 mm	0.62 mm	0.66 mm	0.70 mm	0.74 mm	0.91 mm	1.05 mm	1.11 mm	1.28 mm
KG TEST											
LB TEST	20lb	25lb	30lb	40lb	50lb	55lb	60lb	80lb	100lb	130lb	150lb



Hi-Catch Classic Leader

Material: Nylon (Ultra Strong MH Nylon)
Processing: UV Block & High Abrasion Resistance Special Processing
Color: Clear, Smoke Blue
Make-up: 50yds wrist spool, 100yds coil, 100mtr coil

Features

- Ultra Strong MH Nylon
- High Abrasion Resistance
- High Transparency
- UV Block
- Easy Handling for Many Fields

Genre

- Leader Line for Trolling, Boat Fishing, Inshore Fishing, Casting, Jigging, Eging, and Lure Fishing.

Specification

Japanese No.	#10.00	#13.00	#18.00	#20.00	#27.00	#33.00	#53.00	#60.00	#70.00	#94.00	#120.00	#150.00	#180.00	#220.00	#300.00	#400.00
Diameter	0.52 mm	0.60 mm	0.70 mm	0.75 mm	0.85 mm	0.95 mm	1.20 mm	1.28 mm	1.40 mm	1.60 mm	1.80 mm	2.05 mm	2.20 mm	2.45 mm	2.86 mm	3.30 mm
KG TEST																
LB TEST	30lb	40lb	50lb	60lb	80lb	100lb	130lb	150lb	200lb	250lb	300lb	400lb	480lb	500lb	600lb	700lb
50yds Wrist Spool	○	○	○	○	○	○	○									
100yds Coil					○	○	○	○	○	○	○	○	○	○	○	○
100mtr Coil			○	○	○	○	○	○	○	○	○	○	○	○	○	○



Hi-Catch Xtra Hard Leader

Material: Nylon (MH Nylon EX Type)
Processing: UR Processing
Color: Clear
Make-up: 100mtr, 100yds coil

Features

- MH Nylon EX Type
- High Abrasion Resistance
- High Durability
- Extra Hardness (40% higher than Hi-Catch Classic Leader)

Genre

- Leader Line for Trolling and Boat Fishing



Specification

Japanese No.	#80.00	#120.00	#150.00	#180.00	#200.00	#220.00	#300.00
Diameter	1.45 mm	1.80 mm	2.05 mm	2.20 mm	2.33 mm	2.45 mm	2.86 mm
KG TEST							
LB TEST	220lb	300lb	400lb	500lb	530lb	550lb	600lb

Hi-Catch Super Xtra Hard Leader

Material: Nylon (MH Nylon SX type)
Color: Clear
Make-up: 100mtr, 100yds coil

Features

- MH Nylon SX type
- Unprecedented High Abrasion Resistance
- High Durability
- Extra Hardness (60% higher than Hi-Catch Classic Leader)

Genre

- Leader Line for Trolling and Boat Fishing



Specification

Japanese No.	#60.00	#80.00	#100.00	#120.00	#130.00	#150.00	#180.00	#220.00
Diameter	1.28 mm	1.45 mm	1.65 mm	1.80 mm	1.90 mm	2.05 mm	2.19 mm	2.42 mm
KG TEST								
LB TEST	200lb	250lb	300lb	400lb	450lb	500lb	600lb	700lb

Hi-Catch Wind-On Leader

Material: Nylon, Fluorocarbon
Color: Clear
Make-up: 25feet coil

Features

- New Generation Leader System
- 3 types: Classic Nylon, Extra Hard Nylon, Fluorocarbon
- With High Strength "Super PE"
- Easy Link with Loops

Genre

- Trolling



Specification

Classic type monofilament with Super PE

Japanese No.	#27.00	#33.00	#53.00	#60.00	#70.00	#120.00	#150.00	#220.00	#300.00
Diameter	0.85 mm	0.95 mm	1.20 mm	1.28 mm	1.40 mm	1.80 mm	2.05 mm	2.45 mm	2.86 mm
KG TEST									
LB TEST	80lb	100lb	130lb	150lb	200lb	300lb	400lb	500lb	600lb

Extra Hard type monofilament with Super PE

Japanese No.	#80.00	#120.00	#150.00	#200.00
Diameter	1.45 mm	1.80 mm	2.05 mm	2.33 mm
KG TEST				
LB TEST	220lb	300lb	400lb	530lb

Fluorocarbon with Super PE

Japanese No.	#30.00	#40.00	#45.00	#60.00	#90.00	#120.00	#150.00	#180.00
Diameter	0.91 mm	1.05 mm	1.11 mm	1.28 mm	1.57 mm	1.81 mm	2.03 mm	2.24 mm
KG TEST								
LB TEST	80lb	100lb	130lb	150lb	200lb	270lb	330lb	400lb



<http://momoifishing.jp/en/>

MOMOI FISHING MFG. CO.,LTD

10th fl., Kobe Asahi Bldg., 59 Naniwa-machi, Chuo-ku, Kobe 650-0035, Japan

Tel: +81-78-391-5448 Fax: +81-78-391-5446

E-mail: fishingline@momoï.co.jp